

Product name:AALBORG EXCELPage:1/10Supersedes date:Revision:2019-03-19Product No.:SDS-ID:GB-EN/1.0

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name: AALBORG EXCEL
Container size: 25 kg, BigBags

1.2. Relevant identified uses of the substance or mixture and uses advised against

Shrinkage reduced, ready-to-use self-levelling High Performance Concrete for thin/slim concrete products with high aesthetic, mechanical and durability performance. White base colour for personal tailorization in terms of pigments and/or fibers.

Please consult Product information brochure for performance properties, and for inspiration with respect to the use of pigments and fibres.

Guaranteed shelf life is 12 months from production date, properly stored: dry in unopened bags – Production Date stamped on the bag.

1.3. Details of the supplier of the safety data sheet

Supplier: Aalborg Portland Polska Sp. Z o.o.

UI. Targowa 24 03-733 Warszawa

Poland

Tel:+48 22 460 88 70 Fax:+48 22 460 88 72 www.aalborgportland.pl

Responsible for safety data

sheet authoring:

extreme@aalborgportland.com

1.4. Emergency telephone number

Emergency telephone: + 48 22 460 88 70 Only during office hours

Product name: AALBORG EXCEL Page: 2/10

Supersedes date: Revision: 2019-03-19
Product No.: SDS-ID: GB-EN/1.0

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

The product is classified:

<u>CLP:</u> Eye Dam. 1;H318 - Skin Irrit. 2;H315 - STOT SE 3;H335

2.2. Label elements



Danger

Contains: Portland cement

H315 Causes skin irritation.

H318 Causes serious eye damage.
H335 May cause respiratory irritation.
P102 Keep out of reach of children.

P260 Do not breathe dust.

P280 Wear protective gloves, eye and face protection.

P305/351/338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P501 Dispose of contents/container in accordance with local regulations.

2.3. Other hazards

PBT/vPvB: This product does not contain any PBT or vPvB substances.

Other: Frequent inhalation of dust over a long period of time increases the risk of

developing lung diseases.

Contains: Calcium oxide. When mixed with water it will form calcium hydroxide

which has a corrosive effect on skin and eyes.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

The following substances shall be indicated according to legislation:

Product name:AALBORG EXCELPage:3/10Supersedes date:Revision:2019-03-19Product No.:SDS-ID:GB-EN/1.0

CLP:

| <u>%:</u> | CAS-No.: | EC No.: | REACH Reg. No: | Chemical name: | Hazard classification: | Notes: |
|-----------|------------|-----------|-------------------|------------------|---|--------|
| 30-60 | 14808-60-7 | 238-878-4 | - | Quartz | - | # |
| 30-60 | 65997-15-1 | 266-043-4 | Exempt | Portland cement | Skin Irrit. 2;H315 Eye Dam. 1;H318 STOT SE 3;H335 | |
| 1-5 | 1317-65-3 | 215-279-6 | - | Limestone | - | # |
| 1-5 | 92704-41-1 | 296-473-8 | - | Kaolin, calcined | - | |

Notes: Respirable crystalline quartz: < 1%

References: The full text for all hazard statements is displayed in section 16.

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation: Move injured person into fresh air and keep person calm under observation. If

uncomfortable: Seek hospital and bring these instructions.

Skin contact: Remove contaminated clothing immediately and wash skin with soap and water.

In case of rashes, wounds or other skin disorders: Seek medical attention and

bring along these instructions.

Eye contact: Do not rub eye. Immediately flush with plenty of water for at least 15 minutes.

Remove any contact lenses and open eyelids widely. If irritation persists: Continue flushing during transport to hospital. Bring along these instructions.

Ingestion: Immediately rinse mouth and drink plenty of water or milk. Keep person under

observation. Do not induce vomiting. If vomiting occurs, keep head low. Transport immediately to hospital and bring along these instructions.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects: See section 11 for more detailed information on health effects and symptoms.

4.3. Indication of any immediate medical attention and special treatment needed

Medical attention/treatments: Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media: Use fire-extinguishing media appropriate for surrounding materials.

5.2. Special hazards arising from the substance or mixture

Specific hazards: Water used for fire extinguishing, which has been in contact with the product,

may be corrosive.

5.3. Advice for firefighters

Protective equipment for fire-

fighters:

Selection of respiratory protection for fire fighting: follow the general fire

precautions indicated in the workplace.

In case of contact with water used for fire extinguishing, use chemical resistant

protective suit.

AALBORG EXCEL Product name: Page: 4/10 Supersedes date: Revision: 2019-03-19

Product No.: SDS-ID: GB-EN/1.0

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Avoid inhalation of dust. Avoid contact with eyes and prolonged skin contact. Use

work methods which minimise dust production.

6.2. Environmental precautions

Environmental The product should not be dumped in nature but collected and delivered

precautions: according to agreement with the local authorities.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up: Remove spillage with vacuum cleaner. If not possible, collect spillage with shovel,

broom or the like.

6.4. Reference to other sections

References: For personal protection, see section 8.

For waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Safe handling advice: Observe good chemical hygiene practices. Avoid spreading dust. Avoid

inhalation of dust. Avoid contact with eyes and prolonged skin contact. Change

contaminated clothing.

Technical measures: Use work methods which minimise dust production.

Technical precautions: Mechanical ventilation may be required. Provide easy access to water supply and

eye wash facilities.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures for safe No special precautions.

storage:

Storage conditions: Store in closed original container in a dry place. Seal opened containers and use

up as soon as possible. When stored in humid conditions, the chromate

neutralisation will decrease.

7.3. Specific end use(s)

Specific use(s): Not relevant.

Product name:AALBORG EXCELPage:5/10Supersedes date:Revision:2019-03-19Product No.:SDS-ID:GB-EN/1.0

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits:

| CAS-No.: | Chemical name: | As: | Exposure limits: | Type: | Notes: | References: |
|------------|----------------------------------|--------------|------------------|-------|--------|-------------|
| 65997-15-1 | Portland cement, respirable dust | - | 4 mg/m3 | TWA | - | EH40 |
| 65997-15-1 | Portland cement, inhalable dust | - | 10 mg/m3 | TWA | - | EH40 |
| 14808-60-7 | Silica crystalline, respirable | - | 0.1 mg/m3 | TWA | - | EH40 |
| 1317-65-3 | Limestone, total inhalable dust | - | 10 mg/m3 | TWA | - | EH40 |
| 1317-65-3 | Limestone, respirable dust | - | 4 mg/m3 | TWA | - | EH40 |
| Notes: | EH40 | : EH40/2005. | | | | |

8.2. Exposure controls

Engineering measures: Provide adequate ventilation. Observe occupational exposure limits and

minimise the risk of inhalation of dust.

<u>Personal protection:</u> Personal protection equipment should be chosen according to the CEN

standards and in discussion with the supplier of the personal protective

equipment.

Respiratory equipment: During dust-raising work: Use respiratory equipment with particle filter, type P2.

<u>Hand protection:</u> Wear protective gloves. Nitrile gloves are recommended. Other types of gloves

can be recommended by the glove supplier.

Eye protection: Wear goggles/face shield.

Skin protection: Wear special protective clothing. Hood or helmet shall be used in connection

with splashing work.

Hygiene measures: Remove contaminated clothing and wash the skin thoroughly with soap and

water after work.

Environmental Exposure

Controls:

Not available.

Product name: AALBORG EXCEL Page: 6/10

Supersedes date: Revision: 2019-03-19

Product No.: SDS-ID: GB-EN/1.0

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Form: Powder, dust.

Colour: grey / white

Odour: Odourless.

pH: READY-TO-USE MIXTURE: 12-13

Boiling point: Not relevant. Flash point: Not available. Evaporation rate: Not relevant. Flammability (solid, gas): Not available. **Explosive limits** Not available. Vapour pressure: Not relevant. Not relevant. Vapour density: Not available. Relative density:

Solubility: Slightly soluble in water. 0.1-1%

Partition coefficient (n-

octanol/water):

Not relevant.

<u>Auto-ignition</u> Not relevant.

temperature (°C):

<u>Decomposition</u> Not relevant.

temperature (°C):

<u>Viscosity:</u> Not relevant.

Explosive properties: Not considered to be explosive.

Oxidising properties: Not available.

9.2. Other information

Other data: Not available.

Product name: AALBORG EXCEL Page: 7/10

Supersedes date: Revision: 2019-03-19

Product No.: SDS-ID: GB-EN/1.0

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity: None known.

10.2. Chemical stability

Stable under normal temperature conditions. The content of chromate reducing

agent is gradually diminished.

10.3. Possibility of hazardous reactions

Hazardous Reactions: None known.

10.4. Conditions to avoid

Conditions/materials to avoid: The product will harden into a hard mass in contact with water and moisture.

10.5. Incompatible materials

Incompatible materials: Not known.

10.6. Hazardous decomposition products

<u>Hazardous decomposition</u> None in particular.

products:

Product name: AALBORG EXCEL Page: 8/10

Supersedes date: Revision: 2019-03-19

Product No.: SDS-ID: GB-EN/1.0

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute Toxicity (Oral):

Acute Toxicity (Dermal):

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Acute Toxicity (Inhalation):

Based on available data, the classification criteria are not met.

Skin Corrosion/Irritation: Causes skin irritation.

Serious eye damage/irritation: Causes serious eye damage.

Respiratory or skin Ba

Based on available data, the classification criteria are not met.

sensitisation:

<u>Germ cell mutagenicity:</u>

<u>Carcinogenicity:</u>

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Reproductive Toxicity:

Based on available data, the classification criteria are not met.

<u>STOT - Single exposure:</u> May cause respiratory irritation.

STOT - Repeated exposure: Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

<u>Inhalation:</u> Dust may irritate throat and respiratory system and cause coughing.

Skin contact: Dust has an irritating effect on moist skin. Prolonged or repeated contact: Risk of

sensitisation or allergic reactions among sensitive individuals.

<u>Eye contact:</u> Dust or splashes from the mixture may cause permanent eye damage.

Immediate first aid is necessary.

Ingestion: Not likely, due to the form of the product. Ingestion may cause severe irritation of

the mouth, the oesophagus and the gastrointestinal tract.

Specific effects: Frequent inhalation of dust over a long period of time increases the risk of

developing lung diseases.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

<u>Ecotoxicity:</u> The product is not expected to be hazardous to the environment.

12.2. Persistence and degradability

<u>Degradability:</u> The product reacts with water to form a solid insoluble reaction product which is

non-degradable, according to information available.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available on bioaccumulation.

12.4. Mobility in soil

Mobility: No data available.

12.5. Results of PBT and vPvB assessment

PBT/vPvB: This product does not contain any PBT or vPvB substances.

12.6. Other adverse effects

Other adverse effects: None known.

Product name:AALBORG EXCELPage:9/10Supersedes date:Revision:2019-03-19Product No.:SDS-ID:GB-EN/1.0

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements. Waste is classified as hazardous waste. Note that fully cured material is not considered as hazardous waste.

<u>Waste from residues:</u> EWC-code: 10 13 06 Empty packaging: EWC-code: 15 01 01

SECTION 14: TRANSPORT INFORMATION

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

<u>UN-No:</u>

14.2. UN proper shipping name

Proper Shipping Name:

14.3. Transport hazard class(es)

<u>Class:</u> -

14.4. Packing group

<u>PG:</u> -

14.5. Environmental hazards

Marine pollutant:

Environmentally Hazardous -

substance:

14.6. Special precautions for user

Special precautions: None known.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

<u>Transport in bulk:</u> Not relevant.

Product name:AALBORG EXCELPage:10/10Supersedes date:Revision:2019-03-19Product No.:SDS-ID:GB-EN/1.0

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulation: Regulation (EC) No 1907/2006 of the European Parliament and of the Council of

18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, with amendments.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.

The Control of Substances Hazardous to Health Regulations 2002 (S.I 2002 No.

2677) with amendments.

EH40/2005, Workplace exposure limits 2005, with amendments.

The Management of Health and Safety at Work Regulations 1999 (SI 1999 No. 3242), with amendments.

The List of Wastes (England) (Amendment) Regulations 2005. (SI 2005 No. 895).

15.2. Chemical Safety Assessment

<u>CSA status:</u> No chemical safety assessment has been carried out.

SECTION 16: OTHER INFORMATION

For restrictions on use see section 15.

The user must be instructed in the proper work procedure and be familiar with the contents of these instructions.

The following sections contain revisions or new statements:

<u>Abbreviations and acronyms</u> PBT = Persistent, Bioaccumulative and Toxic. <u>used in the safety data sheet:</u> vPvB = very Persistent and very Bioaccumulative.

Additional information: Classification according to Regulation (EC) No. 1272/2008:

Calculation method.

Wording of H-statements:

H315 Causes skin irritation.

H318 Causes serious eye damage.
H335 May cause respiratory irritation.

The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user.

Made by DHI - Environment and Toxicology, Agern Allé 5, DK-2970 Hørsholm, Denmark. www.dhigroup.com.